




240V/50Hz

PRODUCT PORTFOLIO

Hunter
SINCE 1886



QUALITY

Never satisfied, we develop our own protocols to ensure our fans exceed industry standards.

DESIGN

From the first sketch to the final touch, we craft every detail to make your room come alive.

INNOVATION

Breaking new ground since 1886, our products always aim to revitalize and revolutionize.

240V/50HZ PRODUCT PORTFOLIO

TABLE OF CONTENTS

TRADITIONAL

Bayport	6-7
Builder Deluxe	8-9
Builder Elite	10-11
Builder Plus.....	12-13
Low Profile III	14-15
Savoy	16-17
Caribbean Breeze.....	18
Kohala Bay	19
Seville II.....	20-21

CONTEMPORARY

Carera	22-23
Central Park	24-25
Contempo.....	26-27
Flight.....	28
Eurus.....	29
Galileo.....	30-31
Industrie II	32-33
Nova	34-35
Sonic	36-37
Tribeca	38-39

OUTDOOR

Cabo Frio	40-41
Hunter Original	42-43
Maribel	44-45
Outdoor Elements II.....	46-49

FAN SPECIFICATIONS.....	50-51
-------------------------	-------

ACCESSORIES

Remote Controls/Wall Controls.....	52
Globe Adapters & Glass.....	52
Light Kits	53
Extension Downrods.....	54

EACH AND EVERY COMPONENT CAREFULLY CRAFTED WITH YOU IN MIND



More than a century ago John and James Hunter invented the ceiling fan. Their legacy of quality, comfort and style continues today.

Blades, motors, switches—each component of a Hunter fan works in perfect concert with other components for a quiet, optimally performing, long lasting fan. Just as a well-tuned symphony lends sound, Hunter engineering designs each ceiling fan as a harmonized system.

Quiet for Life

Every Hunter ceiling fan has been painstakingly designed and crafted to be more than just beautiful, more than just another ceiling fan. It's why our customers have come to demand Hunter performance time and time again. Our exclusive motor technology and mounting system ensure that every Hunter fan will be quiet and wobble-free. Just like every Hunter fan since 1886. Quiet for Life. That's our pledge.

Anti-Vibration Technology

Hunter's patented AVT™ features our unique triangular hanger-ball system, which is for maximum stability and Wobble-Free® performance.

Quality Engineering

Hunter has sophisticated testing facilities at all its worldwide factories, where engineers carefully test each fan model for quiet operation, maximum performance and overall quality of finish. No other manufacturer puts its products through such rigorous tests. Fan construction is a combination of motor performance, blade size and shape, and blade pitch. Consumers can buy Hunter fans with confidence knowing they're manufactured to work under "real world" conditions.

Excellence in Design And Performance

Hunter has developed a product line that enhances virtually any home décor and are designed for years of dependability.

Energy Efficiency

We don't just strive to give you a great value for your fan. We also work hard to create fans that will save you money every month on your utility bill.

To make it more convenient, we've included an informational energy chart for every ceiling fan. Please note that the energy data provided is for fans running at high speed.

Airflow
X,XXX cfm

Electricity Use
XX watt

Airflow Efficiency
XX cfm/watt

91 to 122 cm ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute (CFM) per watt at high speed.

124 to 152 cm ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

HUNTER® TIP

Remember, ceiling fans cool people, not rooms.
So, turn the fan off when you leave the room to save energy.

Industry-Leading Warranty

What's the real proof of products you can purchase with confidence? Often, the answer can be found in a manufacturer's warranty. Hunter fans are covered by the industry's strongest warranty program. Hunter Fan Company grants this limited warranty to the original purchaser of any Hunter ceiling fan. This document can be found online at www.HunterFan.com.

LEGEND



ETL Wet Rated

Wet location fans are constructed more robustly than damp location fans. The motor, canopy and switch housings are sealed with rubber grommets to prevent moisture intrusion. Wet location fans can be exposed directly to water and feature stainless steel hardware, moisture-sealed electrical components, weather-sealed, water-tight gaskets located in canopy, top motor housing, switch housing, weep holes in motor and light switch housings, UV protective coatings and all-weather blades.



Wall Control

Fan and light operation featuring full-range light dimming, auto detection to switch between incandescent and CFL bulbs, rocker switchplates, light delay feature that allows safe exit from room as lights dim to off and digitally programmable for easier installation.

*Not all features available with all models.



ETL Damp Rated

Damp rated fans can withstand humidity and are built with stainless steel hardware, moisture-sealed electrical components and all-weather blades.



Pull Chain

Pull chain operation.



BAYPORT

107

CM BLADESPAN

INDOOR | TRADITIONAL

Whisperwind® Motor



PULL CHAIN

LIMITED
LIFETIME
MOTOR
WARRANTY

MOTOR SIZE: 172 mm x 12 mm

Installer's Choice® Three-Position Mounting System

Flush • Standard • Angled Ceiling



24179
Brushed Nickel finish with 4 Maple/Cherry reversible blades




Cherry



Maple



24174
Antique Brass finish with 4 Rosewood/Medium Oak reversible blades




Rosewood



Medium Oak



24170
White finish with 4 White/Light Oak reversible blades



White



Light Oak

ENERGY INFORMATION


Airflow **4,137** CFM at high speed

Electricity Use **62** Watts at high speed

Airflow Efficiency **66** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	32.66	116.48	25.04
B	29.11	112.93	21.49
C	8.71	8.71	8.71
D	24.1	24.1	24.1
E	15.75	15.75	15.75



LIGHT KIT ADAPTABLE





BUILDER DELUXE

132
CM BLADESPAN

INDOOR | TRADITIONAL

Whisperwind® Motor



PULL CHAIN

LIMITED
LIFETIME
MOTOR
WARRANTY


MOTOR SIZE: 172 mm x 12 mm
2 MOUNTING OPTIONS:
Standard • Angled Ceiling





50570

Snow White finish with 5 Snow White/Beech reversible blades



Snow White




Beech




50571

Brushed Nickel finish with 5 Brazilian Cherry/Burnt Walnut reversible blades



Brazilian Cherry




Burnt Walnut




50572

New Bronze finish with 5 Yellow Walnut/Brazilian Cherry reversible blades



Yellow Walnut



Brazilian Cherry

ENERGY INFORMATION


Airflow **5,296** CFM at high speed

Electricity Use **65** Watts at high speed

Airflow Efficiency **82** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	31.3	115.14	-
B	27.9	111.73	-
C	7.2	7.2	-
D	27.7	27.7	-
E	16.48	16.48	-
F	45.3	129.13	-



FEATURES

- White snowflake linen bowl light kit included
- Two E14 sockets rated max 60 watts



BUILDER ELITE

132
CM BLADESPAN

INDOOR | TRADITIONAL

Whisperwind® Motor



PULL CHAIN


LIMITED
LIFETIME
MOTOR
WARRANTY

MOTOR SIZE: 172 mm x 12 mm
2 MOUNTING OPTIONS:
Standard • Angled Ceiling






50565
Snow White finish with 5 Snow White blades



Snow White



50566
Brushed Nickel finish with 5 Brazilian Cherry/Maple reversible blades



Brazilian Cherry



Maple



50567
New Bronze finish with 5 Yellow Walnut/Brazilian Cherry reversible blades



Yellow Walnut



Brazilian Cherry

ENERGY INFORMATION


Airflow **4,845** CFM at high speed

Electricity Use **66** Watts at high speed

Airflow Efficiency **74** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	31.3	115.14	-
B	27.9	111.73	-
C	7.2	7.2	-
D	27.7	27.7	-
E	16.48	16.48	-



LIGHT KIT ADAPTABLE





BUILDER PLUS

132
CM BLADESPAN

INDOOR | TRADITIONAL

Whisperwind® Motor



PULL CHAIN

LIMITED
LIFETIME
MOTOR
WARRANTY


MOTOR SIZE: 172 mm x 12 mm
2 MOUNTING OPTIONS:
Standard • Angled Ceiling





50560

Snow White finish with 5 Snow White blades



Snow White



50561

Brushed Nickel finish with 5 Brazilian Cherry/Burnt Walnut reversible blades



Brazilian Cherry




Burnt Walnut



50562

New Bronze finish with 5 Brazilian Cherry/Yellow Walnut reversible blades



Brazilian Cherry



Yellow Walnut

ENERGY INFORMATION


Airflow **5,296** CFM at high speed

Electricity Use **65** Watts at high speed

Airflow Efficiency **82** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	31.3	115.14	-
B	27.9	111.73	-
C	7.2	7.2	-
D	27.7	27.7	-
E	16.48	16.48	-
F	46.1	129.87	-



FEATURES

- Swirled marble tulips light kit included
- Three E27 sockets rated max 14 watts



LOW PROFILE III

132
CM BLADESPAN

INDOOR | TRADITIONAL

Whisperwind® Motor



PULL CHAIN

LIMITED
LIFETIME
MOTOR
WARRANTY

MOTOR SIZE: 172 mm x 15 mm
LOW PROFILE MOUNTING
Flush Mounting



*Includes alternate 112
cm blade span option*



24372
Brushed Nickel finish with 5 Chocolate/Maple reversible blades




Chocolate



Maple



24377
White finish with 5 White/Maple reversible blades



White



Maple

ENERGY INFORMATION


Airflow **4,247** CFM at high speed

Electricity Use **66** Watts at high speed

Airflow Efficiency **65** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	-	-	24.64
B	-	-	19.81
D	-	-	31.75



LIGHT KIT ADAPTABLE





SAVOY

132

CM BLADESPAN

INDOOR | TRADITIONAL



PULL CHAIN

LIMITED
LIFETIME
MOTOR
WARRANTY


MOTOR SIZE: 172 mm x 15 mm

Installer's Choice® Three-Position Mounting System


Flush • Standard • Angled Ceiling



24520
Antique Brass finish with 5 Rosewood/Medium Oak reversible blades



Rosewood




Medium Oak



24521
Brushed Nickel finish with 5 Maple/Cherry reversible blades




Maple




Cherry



24524
Bright Brass finish with 5 Rosewood/Oak reversible blades



Rosewood




Oak



24525
Amber Bronze finish with 5 Distressed Cherry/Mahogany reversible blades




Distressed Cherry



Mahogany



24526
White finish with 5 White/Light Oak reversible blades




White




Light Oak

ENERGY INFORMATION		
Airflow	5,090	CFM at high speed
Electricity Use	64	Watts at high speed
Airflow Efficiency	80	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	36.53	120.35	28.91
B	32	115.82	24.38
C	8.71	8.71	8.71
D	30.12	30.12	30.12
E	15.75	15.75	15.75



24457
Weathered Bronze finish
with 5 Antique Dark Wicker
reversible blades



Antique Dark Wicker



CARIBBEAN BREEZE

ENERGY INFORMATION


Airflow **5,092** CFM at high speed

Electricity Use **69** Watts at high speed

Airflow Efficiency **74** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	38.89	122.71	31.27
B	36.37	120.19	28.75
C	8.71	8.71	8.71
D	34.01	34.01	34.01
E	15.75	15.75	15.75
F	58.85	142.67	51.23



FEATURES

- Swirled marble bowl
- Can be installed with or without light kit
- Two E27 sockets rated max 13 watts

137
CM BLADESPAN

INDOOR | TRADITIONAL



PULL CHAIN


LIMITED
LIFETIME
MOTOR
WARRANTY

MOTOR SIZE: 172 mm x 15 mm

Installer's Choice® Three-Position Mounting System
Flush • Standard • Angled Ceiling



50610
Antique Pewter finish
with 3 Matte Black
(plastic) blades



Matte Black


KOHALA BAY

ENERGY INFORMATION

Airflow	4,521	CFM at high speed
Electricity Use	60	Watts at high speed
Airflow Efficiency	76	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	32.66	116.48	-
B	30.53	114.35	-
C	7.2	7.2	-
D	23.09	23.09	-
E	16.48	16.48	-
F	47.57	131.09	-



FEATURES

- Frosted pearl bowl
- Can be installed with or without light kit
- Two E27 sockets rated max 14 watts

122
CM BLADESPAN

INDOOR | TRADITIONAL

Whisperwind® Motor



PULL CHAIN

LIMITED
LIFETIME
MOTOR
WARRANTY

MOTOR SIZE: 172 mm x 12 mm

2 MOUNTING OPTIONS:

Standard • Angled Ceiling

KOHALA BAY



SEVILLE II

112

CM BLADESPAN

INDOOR | TRADITIONAL



PULL CHAIN

LIMITED
LIFETIME
MOTOR
WARRANTY


MOTOR SIZE: 172 mm x 15 mm

Installer's Choice® Three-Position Mounting System
Flush • Standard • Angled Ceiling



24034

Antique Brass finish with 5 Walnut/Medium Oak reversible blades



Walnut




Medium Oak



24037

White finish with 5 White/Light Oak reversible blades



White



Light Oak




24038

Brushed Nickel finish with 5 Maple/Gray reversible blades



Maple




Gray




24039

New Bronze finish with 5 Medium Oak/Dark Cherry reversible blades



Medium Oak



Dark Cherry

ENERGY INFORMATION


Airflow **4,574** CFM at high speed

Electricity Use **63** Watts at high speed

Airflow Efficiency **72** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	34.52	118.34	26.90
B	30.99	114.81	23.37
C	8.71	8.71	8.71
D	27.13	27.13	27.13
E	15.75	15.75	15.75
F	-	-	-



LIGHT KIT ADAPTABLE





CARERA

132
CM BLADESPAN

INDOOR | CONTEMPORARY



PULL CHAIN

LIMITED
LIFETIME
MOTOR
WARRANTY


MOTOR SIZE: 172 mm x 18 mm

Installer's Choice® Three-Position Mounting System
Flush • Standard • Angled Ceiling




24241

Graphite finish with 3 Chestnut/Graphite reversible blades



Chestnut



Graphite




24243

Brushed Nickel finish with 3 Maple/Dark Walnut reversible blades



Maple




Dark Walnut



24246

Arch White finish with 3 White/Maple reversible blades



White



Maple

ENERGY INFORMATION


Airflow **5,674** CFM at high speed

Electricity Use **67** Watts at high speed

Airflow Efficiency **85** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	34.87	118.69	27.25
B	25.53	109.35	17.91
C	8.71	8.71	8.71
D	20.09	20.09	20.09
E	15.75	15.75	15.75



LIGHT KIT ADAPTABLE





CENTRAL PARK

107

CM BLADESPAN

INDOOR | CONTEMPORARY

Whisperwind® Motor



WALL CONTROL

LIMITED
LIFETIME
MOTOR
WARRANTY

MOTOR SIZE: 172 mm x 12 mm


2 MOUNTING OPTIONS:

Standard • Angled Ceiling




50618

Aged Steel finish with 4 Dark Walnut/Gray Walnut reversible blades



Gray Walnut




Dark Walnut




50619

Pewter Revival finish with 4 Black Oak/Roasted Oak reversible blades



Black Oak



Roasted Oak

ENERGY INFORMATION


Airflow **3,604** CFM at high speed

Electricity Use **48** Watts at high speed

Airflow Efficiency **75** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	-	-	-
B	23.77	107.59	-
C	7.2	7.2	-
D	26.39	26.39	-
E	16.48	16.48	-
F	35.59	119.41	-



FEATURES

- Painted cased white plus clear integrated light kit included
- Two E27 sockets rated max 14 watts



CONTEMPO

132

CM BLADESPAN

INDOOR | CONTEMPORARY

Whisperwind® Motor



WALL CONTROL

LIMITED
LIFETIME
MOTOR
WARRANTY


MOTOR SIZE: 172 mm x 12 mm

2 MOUNTING OPTIONS:


Standard • Angled Ceiling



50612
Brushed Nickel finish with 5 Dark Walnut/English
Cherry reversible blades




Dark Walnut



English Cherry



50613
Snow White finish with 5 Snow White/Light Oak
reversible blades



Snow White



Light Oak

ENERGY INFORMATION


Airflow **3,938** CFM at
high speed

Electricity
Use **52** Watts at
high speed

Airflow
Efficiency **76** CFM/Watts at
high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	-	-	-
B	25.6	109.42	-
C	7.2	7.2	-
D	29.43	29.43	-
E	16.48	16.48	-
F	36.02	120.32	-




FEATURES

- Painted cased white globe light kit included
- Two E27 sockets rated max 20 watts

50630

Brushed Nickel finish
with 3 Coffee Beech
reversible blades



Coffee Beech



FLIGHT

ENERGY INFORMATION


Airflow **5,553** CFM at high speed

Electricity Use **66** Watts at high speed

Airflow Efficiency **84** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	32.84	116.66	25.22
B	28.12	111.94	20.0
C	8.92	8.92	8.92
D	18.01	18.01	18.01
E	15.75	15.75	15.75



LIGHT KIT ADAPTABLE



132

CM BLADESPAN

INDOOR | CONTEMPORARY



WALL CONTROL

LIMITED
LIFETIME
MOTOR
WARRANTY


MOTOR SIZE: 172 mm x 20 mm

Installer's Choice® Three-Position Mounting System

Flush • Standard • Angled Ceiling



50611
Brushed Nickel finish
with 3 Coffee Beech
reversible blades



Coffee Beech

EURUS

ENERGY INFORMATION


Airflow **6,402** CFM at high speed

Electricity Use **65** Watts at high speed

Airflow Efficiency **99** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	-	-	-
B	28.91	112.73	-
C	7.14	7.14	-
D	24.54	24.54	-
E	16.48	16.48	-
F	43.84	127.66	-



FEATURES

- Painted cased white globe light kit included
- One E27 socket rated max 60 watts

137
CM BLADESPAN

INDOOR | CONTEMPORARY

Whisperwind® Motor



WALL CONTROL

LIMITED
LIFETIME
MOTOR
WARRANTY

MOTOR SIZE: 172 mm x 20 mm

2 MOUNTING OPTIONS:

Standard • Angled Ceiling



GALILEO

122

CM BLADESPAN

INDOOR | CONTEMPORARY

Whisperwind® Motor



WALL CONTROL


LIMITED
LIFETIME
MOTOR
WARRANTY

MOTOR SIZE: 172 mm x 12 mm


2 MOUNTING OPTIONS:

Standard • Angled Ceiling

50620
 Alpha Bronze finish with 3 Burnt Walnut/Roasted Walnut reversible blades




Burnt Walnut



Roasted Walnut



50621
 Brushed Nickel finish with 3 Dark Walnut/Dark Oak reversible blades



Dark Walnut




Dark Oak



ENERGY INFORMATION		
Airflow	4,380	CFM at high speed
Electricity Use	46	Watts at high speed
Airflow Efficiency	95	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	-	-	-
B	23.09	106.91	-
C	7.2	7.2	-
D	26.16	26.16	-
E	16.48	16.48	-
F	34.47	118.29	-



FEATURES
- Painted cased white globe light kit included - Two E27 sockets rated max 14 watts



INDUSTRIE II

132

CM BLADESPAN

INDOOR | CONTEMPORARY



WALL CONTROL

LIMITED
LIFETIME
MOTOR
WARRANTY


MOTOR SIZE: 172 mm x 15 mm

Installer's Choice® Three-Position Mounting System

Flush • Standard • Angled Ceiling



24542
Brushed Chrome finish with 3 Gray/Teak reversible blades




Gray



Teak



24545
Graphite finish with 3 Graphite/Chestnut reversible blades




Graphite



Chestnut



24547
White finish with 3 White/Maple reversible blades



White



Maple

ENERGY INFORMATION


Airflow **5,241** CFM at high speed

Electricity Use **66** Watts at high speed

Airflow Efficiency **80** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	-	-	-
B	36.68	120.5	29.06
C	8.71	8.71	8.71
D	18.92	18.92	18.92
E	15.67	15.67	15.67



LIGHT KIT ADAPTABLE





NOVA

107

CM BLADESPAN

INDOOR | CONTEMPORARY

Whisperwind® Motor



WALL CONTROL

LIMITED
LIFETIME
MOTOR
WARRANTY


MOTOR SIZE: 172 mm x 12 mm

2 MOUNTING OPTIONS:

Standard • Angled Ceiling




50616
Architectural White
finish with 3 Walnut
blades



Walnut



50617
Matte Black finish with
3 Dark Walnut blades



Dark Walnut

ENERGY INFORMATION


Airflow **3,731** CFM at
high speed

Electricity
Use **47** Watts at
high speed

Airflow
Efficiency **79** CFM/Watts at
high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	-	-	-
B	21.77	105.59	-
C	7.19	7.19	-
D	21.39	21.39	-
E	16.48	16.48	-
F	32.69	116.05	-



FEATURES

- Painted cased white globe light kit included
- Two E27 sockets rated max 14 watts



SONIC

132

CM BLADESPAN

INDOOR | CONTEMPORARY

Whisperwind® Motor



WALL CONTROL

LIMITED
LIFETIME
MOTOR
WARRANTY


MOTOR SIZE: 172 mm x 20 mm

2 MOUNTING OPTIONS:

Standard • Angled Ceiling




50665
Brushed Nickel finish
with 4 Gray blades



Gray



50666
White finish with 4
White blades



White

ENERGY INFORMATION


Airflow **5,709** CFM at high speed

Electricity Use **61** Watts at high speed

Airflow Efficiency **94** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	-	-	-
B	25.47	-	-
C	7.14	7.14	-
D	27.02	27.02	-
E	16.51	16.51	-
F	37.08	-	-



FEATURES

- Painted cased white globe light kit included
- Two E27 sockets rated max 20 watts



TRIBECA

152
CM BLADESPAN

INDOOR | CONTEMPORARY




WALL CONTROL

LIMITED
LIFETIME
MOTOR
WARRANTY

MOTOR SIZE: 172 mm x 15 mm
2 MOUNTING OPTIONS:
Standard • Angled Ceiling

24297
Chalk White finish with 3 White/Maple reversible blades



White




Maple




24292
Brushed Chrome finish with 3 Maple/Gray reversible blades



Maple



Gray



ENERGY INFORMATION


Airflow **6,004** CFM at high speed

Electricity Use **69** Watts at high speed

Airflow Efficiency **87** CFM/Watts at high speed


DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	-	-	-
B	37.26	121.08	-
C	8.71	8.71	-
D	18.92	18.92	-
E	15.75	15.75	-



FEATURES

- Light kit adaptable



CABO FRIO

132

CM BLADESPAN

OUTDOOR



WALL CONTROL

LIMITED
LIFETIME
MOTOR
WARRANTY



DAMP RATED


MOTOR SIZE: 172 mm x 20 mm

2 MOUNTING OPTIONS:

Standard • Angled Ceiling




50634
Fresh White finish with
3 Fresh White blades



White




50635
New Bronze finish with 3
Coffee Beech blades



Coffee Beech



50638
Matte Silver finish with
3 Matte Black (plastic)
blades



Matte Black

ENERGY INFORMATION


Airflow **5,957** CFM at
high speed

Electricity
Use **72** Watts at
high speed

Airflow
Efficiency **83** CFM/Watts at
high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	32.84	116.66	-
B	28.12	25.22	-
C	8.92	8.92	-
D	18.01	18.01	-
E	15.75	15.75	-



LIGHT KIT ADAPTABLE





HUNTER ORIGINAL

132

CM BLADESPAN

OUTDOOR



PULL CHAIN

LIMITED
LIFETIME
MOTOR
WARRANTY



DAMP RATED


MOTOR SIZE: 210 mm x 20 mm

2 MOUNTING OPTIONS:

Standard • Angled Ceiling



50681
White finish with
5 White blades




White




22732
Oil for Hunter Original fans



50685
Black finish with
5 Cherry/Walnut reversible blades



Cherry



Walnut

ENERGY INFORMATION


Airflow **6,850** CFM at
high speed

Electricity
Use **74** Watts at
high speed

Airflow
Efficiency **93** CFM/Watts at
high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	35.66	119.48	-
B	30.1	113.92	-
C	7.2	7.2	-
D	27.69	27.69	-
E	16.48	16.48	-



FEATURES

- 50/60 dual cycle motor
- Optional 4 or 5 blade installation
- 2 hanging system options included: original and remote compatible



MARIBEL

132

CM BLADESPAN

OUTDOOR



PULL CHAIN

LIMITED
LIFETIME
MOTOR
WARRANTY



WET RATED


MOTOR SIZE: 172 mm x 20 mm

2 MOUNTING OPTIONS:

Standard • Angled Ceiling




50555
New Bronze finish
with 5 Walnut (plastic)
blades



Walnut Plastic



50557
White finish with 5
White (plastic) blades




White Plastic

ENERGY INFORMATION

Airflow	5,753	CFM at high speed
Electricity Use	67	Watts at high speed
Airflow Efficiency	86	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	31.27	115.09	-
B	28.88	112.7	-
C	7.2	7.2	-
D	30.99	30.99	-
E	16.48	16.48	-



FEATURES

- IP44 rating
- Aluminium housing with stainless steel hardware
- Light kit adaptable



OUTDOOR ELEMENTS II

132

CM BLADESPAN

OUTDOOR



PULL CHAIN

LIMITED
LIFETIME
MOTOR
WARRANTY



WET RATED


MOTOR SIZE: 172 mm x 20 mm

2 MOUNTING OPTIONS:

Standard • Angled Ceiling




24324
Weathered Brick finish
with 5 Solid Teak blades



Solid Teak



24326
White finish with 5
White (plastic) blades



White

ENERGY INFORMATION


Airflow **6,203** CFM at high speed

Electricity Use **53** Watts at high speed

Airflow Efficiency **118** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	35.66	119.48	-
B	31.45	115.27	-
C	9.42	9.42	-
D	29.21	29.21	-
E	16.28	16.28	-



FEATURES

- IP44 rating
- Aluminium housing with stainless steel hardware
- Light kit adaptable



OUTDOOR ELEMENTS II

137

CM BLADESPAN

OUTDOOR



PULL CHAIN

LIMITED
LIFETIME
MOTOR
WARRANTY



WET RATED

MOTOR SIZE: 172 mm x 20 mm

2 MOUNTING OPTIONS:


Standard • Angled Ceiling



24323
New Bronze finish with 5 plastic Antique Dark Palm Leaf/Antique Dark Wicker reversible blades



Antique Dark Palm Leaf




Antique Dark Wicker



24325
Raw Aluminum finish with 5 plastic Natural Palm Leaf/Natural Wicker reversible blades



Natural Palm Leaf



Natural Wicker

ENERGY INFORMATION


Airflow **5,370** CFM at high speed

Electricity Use **53** Watts at high speed

Airflow Efficiency **102** CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	35.66	119.48	-
B	31.45	115.27	-
C	9.42	9.42	-
D	29.21	29.21	-
E	16.28	16.28	-




FEATURES

- IP44 rating
- Aluminium housing with stainless steel hardware
- Light kit adaptable

240V/50HZ

FAN SPECIFICATIONS

	Bayport 24170, 24174, 24179	Builder Deluxe 50570, 50571, 50572	Builder Elite 50565, 50566, 50567	Builder Plus 50560, 50561, 50562	Cabo Frio 50634, 50635, 50638	Caribbean Breeze 24457	Carera 24241, 24243, 24246	Central Park 50618, 50619	Contempo 50612, 50613	Eurus 50611	Flight 50630	Galileo 50620, 50621
SIZE (CM)	107	132	132	132	132	137	132	107	132	137	132	122
BLADES	4	5	5	5	3	5	3	4	5	3	3	3
INCLUDES LIGHT	No	Yes	No	Yes	No	Yes	No	Yes	Yes	Yes	No	Yes
WALL CONTROL	No	No	No	No	Yes	No	No	Yes	Yes	Yes	Yes	Yes
CFM (HIGH)	4,137	5,296	4,845	5,296	5,957	5,092	5,674	3,604	3,938	6,402	5,553	4,380
CFM (MED)	3,615	4,298	3,933	4,298	5,957	4,155	5,078	3,321	3,537	5,460	4,728	3,878
CFM (LOW)	2,398	3,099	2,776	3,099	5,957	2,778	3,633	2,422	2,688	3,402	2,254	2,662
WATTS (HIGH)	62	65	66	65	72	69	67	48	52	65	66	46
WATTS (MED)	38	38	36	38	38	39	48	36	37	47	51	33
WATTS (LOW)	17	19	15	19	15	16	23	18	19	18	20	16
CFM/WATTS (HIGH)	66	82	74	82	83	74	85	75	76	99	84	95
CFM/WATTS (MED)	94	112	108	112	112	107	106	94	95	117	92	118
CFM/WATTS (LOW)	145	167	181	167	165	178	162	134	145	186	113	171
RPM (HIGH)	240	153	159	153	190	140	190	227	132	190	165	183
RPM (MED)	195	119	120	119	135	109	170	208	117	153	138	154
RPM (LOW)	123	79	74	79	73	66	113	144	80	86	73	102
AMPS (HIGH)	0.254	0.261	0.275	0.261	0.298	0.282	0.271	0.204	0.220	0.284	0.268	0.207
AMPS (MED)	0.202	0.204	0.206	0.204	0.219	0.214	0.233	0.177	0.186	0.244	0.311	0.176
AMPS (LOW)	0.133	0.142	0.132	0.142	0.138	0.136	0.161	0.127	0.130	0.153	0.243	0.121



	Hunter Original 50681, 50685	Industrie II 24542, 24545, 24547	Kohala Bay 50610	Low Profile III 24372, 24377	Maribel 50555, 50557	Nova 50616, 50617	Outdoor Elements II (132 cm) 24324, 24326	Outdoor Elements II (137 cm) 24323, 24325	Savoy 24520, 24521, 24524, 24525, 24526	Seville II 24034, 24037, 24038, 24039	Sonic 50665, 50666	Tribeca 24292, 24297
SIZE (CM)	132	132	122	132	132	107	132	137	132	112	132	152
BLADES	5	3	3	5	5	3	5	5	5	5	4	3
INCLUDES LIGHT	No	No	Yes	No	No	Yes	No	No	No	No	Yes	No
WALL CONTROL	No	Yes	No	No	No	Yes	No	No	No	No	Yes	Yes
CFM (HIGH)	6,850	5,241	4,521	4,247	5,753	3,731	6,203	5,370	5,090	4,574	5,709	6,004
CFM (MED)	5,139	4,430	3,781	3,615	4,762	3,447	5,243	4,557	4,349	4,041	5,183	4,783
CFM (LOW)	2,813	3,022	2,603	2,544	2,840	2,481	3,406	3,040	2,899	2,735	3,445	3,330
WATTS (HIGH)	74	66	60	66	67	47	53	53	64	63	61	69
WATTS (MED)	48	39	34	42	46	35	38	38	39	40	49	39
WATTS (LOW)	18	16	14	17	17	18	16	16	16	17	20	16
CFM/WATTS (HIGH)	93	80	76	65	86	79	118	102	80	72	94	87
CFM/WATTS (MED)	108	114	112	86	104	98	139	121	111	101	106	122
CFM/WATTS (LOW)	157	189	182	147	163	139	209	190	179	164	171	206
RPM (HIGH)	195	157	215	182	193	214	185	143	183	226	210	130
RPM (MED)	147	127	173	155	151	192	153	118	152	195	187	98
RPM (LOW)	72	79	112	96	84	135	92	72	93	123	114	60
AMPS (HIGH)	0.301	0.274	0.257	0.269	0.292	0.202	0.233	0.239	0.268	0.260	0.255	0.288
AMPS (MED)	0.252	0.214	0.198	0.217	0.246	0.174	0.200	0.203	0.215	0.211	0.229	0.219
AMPS (LOW)	0.155	0.136	0.129	0.141	0.152	0.126	0.132	0.131	0.138	0.139	0.149	0.139

ACCESSORIES

REMOTE & WALL CONTROLS



99117
Three-Speed Remote Control

- 3-speed fan control
- Light dimming
- Includes 2 wall plates: square and rectangular
- Blister packaging
- Shelf-ready display



24756
RF Remote Control

- 3-speed fan control
- Light dimming
- Low battery indicator



24750
Speedboat Remote Control

- 3-speed fan control plus instant "off"
- Light dimming



24757
Ceiling Fan Control finish with Light

- 3-speed fan control
- On/off light control
- 240V
- 300-watt light
- Includes 2 wall plates: square and rectangular
- Blister packaging
- Shelf-ready display



24758
Ceiling Fan Control

- 3-speed fan control
- 240V
- 300-watt light
- Includes 2 wall plates: square and rectangular
- Blister packaging
- Shelf-ready display



ACCESSORIES

GLOBE ADAPTERS & GLASS



Globe Adapter

- 24432 - White (shown)
24434 - Bright Brass
24435 - Brushed Chrome



Opal Schoolhouse Globe

- 22515 - 8" Globe (shown)
22555 - 10" Globe
Glass only



Contemporary Schoolhouse Globe

- 22565
Glass only

ACCESSORIES

LIGHT KITS



Scavo Bowl

24122
Includes finials in Brushed Nickel, Satin Brass, White, and Bright Brass
Two E27 sockets
Rated at max 60-watt



Amber Bowl

24125
Includes finials in New Bronze, Amber Bronze, Antique Brass, and Weathered Bronze
Two E27 sockets
Rated at max 60-watt



Frosted Opal Bowl

24126
Includes finials in Brushed Nickel, Bright Brass, Antique Brass, White, and New Bronze
Two E27 sockets
Rated at max 60-watt



Swirled Marble Bowl

24127
Includes finials in Brushed Nickel, Bright Brass, Antique Brass, White, and New Bronze
Two E27 sockets
Rated at max 60-watt



Wicker Bowl

24120 Weathered Bronze
Two E27 sockets
Rated at max 60-watt



Flight Light Kit

50900
Includes finials in White and Brushed Nickel
Two E27 sockets
Rated at max 13-watt



Contemporary Light Kit

24301 Brushed Nickel (shown)
24304 Graphite
24307 White
One E27 socket
Rated at max 60-watt



3 Light Flush Mount

24310 - Antique Brass
24312 - Bright Brass
24316 - White
24318 - Brushed Nickel
24319 - New Bronze (shown)
Three E27 sockets
Rated at max 60-watt



Angra Outdoor Light Kit

50910 - New Bronze (shown)
50911 - White
One E27 socket
Rated at max 60-watt




Outdoor Light Kit

24335 - New Bronze (shown)
24336 - White
24337 - Raw Aluminum
Two E27 sockets
Rated at max 13-watt

EXTENSION

DOWNRODS

More homes are being constructed finish with high ceilings. A Hunter 2 cm downrod sets the fan at the proper height for optimum performance. All Hunter extension downrods match Hunter fans for fit and finish, and have tapered threads for deeper engagement.



Finish	30.5 cm	30-45 cm	45-61 cm	92 cm	122 cm	152 cm	182 cm	Compatible Finishes
Antique Brass	22719	22729	26319	26329	26339	23190	23060	Burnished Copper, Estate Brass
Antique Pewter	28054	28055	28056	28057	28058	28059	28060	Pewter Revival
Black	25144	25145	25146	25147	25148	25149	25150	Antique Black, Matte Black, Satin Black, Textured Black, Graphite, Iron
Brittany Bronze	28979	—	28980	28981	—	—	—	Weathered Bronze, Burled Brown
Bronze Patina	28206	28207	28208	28209	28210	—	—	Amber Bronze, Antique Copper, Brushed Bronze, Satin Bronze
Brushed Nickel	26019	26020	26021	26022	26023	26024	26025	Brushed Chrome
Harvest Wheat	28976	—	28977	28978	—	—	—	Harvest Wheat
Hunter Bright Brass Finish	22713	22723	26313	26323	26333	23192	23062	—
Iron	22685	22686	22687	—	—	—	—	—
New Bronze	26041	26042	26043	26044	26045	26046	26047	Bronze, Brushed Cocoa, Leather Bronze, Provencal Gold, Roman Bronze, Rustic Bronze, Tuscan Gold, Egyptian Bronze
Provencal Gold	28224	28225	28226	28227	28228	—	—	New Bronze
Weathered Brick	22681	—	—	26010	26011	—	—	Alpha Bronze
White	25136	25137	25138	25139	25140	25141	25142	Satin White

Outdoor Elements and Maribel - "All Weather" Downrods • Rust-proof Stainless Steel Construction								
Satin White	—	—	—	25159	—	—	—	—
Textured Black	—	25162	25163	25164	—	—	—	—
Weathered Brick	26434	—	26436	26437	—	—	—	—
Raw Aluminum*	28248	28249	28250	28251	—	—	—	—

Hunter Original® Downrods • Double-Threaded Construction								
Black	26302	26219	26227	26228	26229	23194	23064	—
Chestnut Brown	22711	22721	26331	26341	26351	23195	23065	Distressed Relic, Chestnut Bronze, Weathered Brick
New Bronze All-Weather	25998	25999	26007	26008	—	—	—	Midnight Copper, Weathered Brick, Weathered Bronze
Satin White All-Weather	28254	28255	28256	28257	28258	—	—	—
Textured Black All-Weather	26430	26431	26432	26433	—	—	—	—
White	22717	22727	26317	26327	26337	23197	23067	—

Vaulted Ceiling Mounts - For up to 45° angle mount								
Colors	Chestnut Brown	Hunter Bright Brass Finish	Black	Brushed Nickel	White	Antique Brass	Antique Pewter	New Bronze
Item number	22170	22172	22174	22175	22176	22178	27995	27996



Hunter Fan Company

7130 Goodlett Farms Parkway, Suite 400

Memphis, TN 38016 USA

+1.901.744.1200

www.hunterfan.com